

Grizzly Product Manual



TEXAS SCREEN IT

GET YOUR GRIZZLY ON

Grizzly Manual

For owners and users of Texas Screen It
Grizzly Rock Screens

Published by
TEXAS SCREEN IT

Table Of Contents

Inside Cover Page	1
Table of Contents	2
Introduction	3
Product Identification	4
Safety	5
Best practices	6
Your Grizzly	7
Maintenance	8
Warranty	9

Introduction

Thank you for your business

Thank you for purchasing a handcrafted American made Grizzly rock screen from us here at Texas Screen It! Our products are made and tested by people just like you so you can trust them to stand up to any job you task them with.

Our contact Information

If you have any questions or concerns, feel free to contact us.

Using Your operators Manual

This manual is an important part of your product and should remain in your possession as long as you own the product. Reading your owner's manual will help you and others avoid personal injury or damage to the product. Information given in this manual will provide the owner with the safest and most effective use of the product.

Knowing how to use this product safely and correctly will allow you to train others who may use this product.

This manual may be requested in another language.

- Este manual puede solicitarse en otro idioma.
- ce manuel peut être demandé dans d'autres langues
- 本手冊可能需要其他語言版本
- इस मैनुअल का अन्य भाषाओं में अनुरोध किया जा सकता है

Sections in your owner's manual are placed in a specific order to help you learn safety risks and important attachment features of the product for safe use. You can also use this manual to answer most questions regarding product use and maintenance.

Special Messages

Special Messages Your manual contains special messages to bring attention to potential safety concerns, product damage as well as helpful operating and maintenance information. Please read all the information carefully to avoid injury and product misuse or damage.



CAUTION: Avoid injury or death! This symbol has been placed to alert the user of potential hazards or death to the operator or bystanders that can occur if hazards are ignore or proper procedures aren't followed.

Product Identification

Distributor:

Texas Screen It

Purchased on Date:

Distributor Phone:

(830) 282-0092

Product Serial Number:

Product Model:

Screen Spacing:

Safety Information

The Grizzly you have purchased is manufactured out of premium grade American steel. Steel is a very heavy durable material which also poses various safety risks. Grizzlies are also used with hazardous machinery to sort rocks from finer soils. It's important to read your owner's manual and follow safety guidelines in order to get the most out of your grizzly and operate as safely as possible.



The safety labels shown in this section are meant to draw your attention to, and notify you, of hazards regarding usage of your equipment. Always ensure to follow safety guidelines, operate within your equipment means and wear proper clothing and protection for the job at hand

- WARNING, and CAUTION are used with this safety alert symbol. DANGER is used to show greatest risks.



DANGER!

DO NOT:

- Lift your grizzly over people
- Walk under or stand under a suspended load
- Stand near the Grizzly when in use
- Stand underneath the Grizzly rock screen
- Lift with Forklift forks
- Lift grizzly with boom telescoped
- Transport Grizzly raised greater than a foot off the ground
- Use faulty equipment to operate Grizzly



**** Always ensure your equipment is properly rated for your Grizzly****
Your Grizzlies specifications can be found in the "your grizzly" section of the owner's manual.

Dust and loose rock



Wear a hard hat, gloves, and safety glasses when using your grizzly
Inhalation of dust may be hazardous to your health, to prevent dust inhalation wear PPE specified by your state's safety guidelines.

Best Practices

When using any piece of equipment including a Texas Screen It Grizzly, it is important to ensure proper handling and operating technique to prevent damage to the product, and injury or even death to the user.

- When transporting or lifting the Grizzly **do not transport** with the Grizzly lifted any greater than one foot off the ground.
- To pick up the Grizzly, use the bucket of your equipment to pick up the grizzly from the inside of the bars, the bucket should always be in the grizzly.
- Do not drop the Grizzly, carefully place on the ground
- In order to begin screening material, dump your bucket on the high side of the Grizzly (against the outer rails).
 - Don't immediately try to remove matter from the collection, let it build up a little so you can get a full bucket each time you remove material and burying the Grizzly helps to protect it from the equipment as you collect your material.
- Do your part to prevent Iron-Iron contact.
 - Ensure you and any operators coming into contact with the Grizzly has proper training on how to operate the equipment being used.
 - Don't bump your equipment into the Grizzly
- If the Grizzly has a removeable screen, ensure a smooth application and removal. Do not force the screen on or off to prevent breakage
- If equipped with vibrator check electrical connections and wiring so they do not become exposed (bare wires). Also check with vibrator manufacturer for more best practices.
- Walk around inspection before and after use to see if there are any broken welds or components.



Don't forget, do not lift >1foot off ground

Your Grizzly

The World of Grizzlies

The Grizzly you have in your possession is one of three:

- Cub
- Mama
- Papa

Although some grizzlies are special ordered, most orders are some variations of the three listed above and still follow similar guidelines.

If you have **questions** regarding use of your special ordered Grizzly contact Texas Screen It at (830) 282-0092 or elod@texasscreenit.com **BEFORE** use.

Cub

- 8' Inside – 1" rails
- Can fit in the bed of a half-ton pickup
- Can fit in the bed of any standard size truck box
- Best utilized with a skid steer

Mama Bear

- 10' Inside-1" rails
- Compact and heavy duty
- Best utilized with small loaders, Excavators, Backhoes

Papa Bear

- 14' inside -1.5" rails
- Heaviest duty rock screen
- Best utilized with large Loaders, Large excavators, Large backhoes

Proper Maintenance

Maintenance information

- Weekly Inspections during use are required to prevent damage to grizzly
- may be found to track inspections, found at <https://www.bearironworks.net/productmanuals>
- Inspections are required after freezing weather
- Inspections are required after storage
- If any welds are cracked, have them inspected by certified welder for structural integrity
- if any pieces of the grizzly are partially or fully detached, stop use of the grizzly and contact Texas Screen It or a Certified Welder



Texas Screen It Limited Product Warranty

Texas Screen It, offers a limited 30-day warranty on all products. This warranty is limited to manufacturing defects. Manufacturing defects is limited to: missing welds, cracked welds, broken hooks, missing hooks, incorrect product sizing, broken sheet metal, broken bolts, missing bolts, and broken tubing.

All products must be inspected by owner upon delivery. Warranty claims must be made within 30 days of delivery.

Due to the nature of use of our products, we do not warranty the paint on our products. We do not warranty for bent rails on the Grizzly Rock Screens. We do not warranty for bent sheet metal on all products that have been used one or more times.

Warranty claims are to be submitted to elod@texasscreenit.com within 30 days of delivery. A description of the defect as well as photos must be submitted in the claim. The date that the manufacturing defect was discovered must be submitted in the claim.

Warranty claims are to be fulfilled at the discretion of Texas Screen It. The product in the warranty claim may be required to be returned to a Texas Screen It manufacturing facility for repairs. A Texas Screen It team member may be required to repair the product in question at the owner's job site, warehouse, or any other property that the product in question is located. Texas Screen It may utilize a 3rd party contractor to repair the product in question. The product in question may need to be delivered to a 3rd party contractor's facility to be repaired. It is the responsibility of the product owner to deliver the product in question to a repair facility as determined by Texas Screen It.